



## LJMU Research Online

**Mocioiu, V, Ortega-Martorell, S, Olier, I, Jablonski, M, Starcukova, J, Lisboa, P, Arús, C and Julià-Sapé, M**

**From raw data to data-analysis for magnetic resonance spectroscopy - the missing link: jMRUI2XML.**

<http://researchonline.ljmu.ac.uk/id/eprint/2322/>

### Article

**Citation** (please note it is advisable to refer to the publisher's version if you intend to cite from this work)

**Mocioiu, V, Ortega-Martorell, S, Olier, I, Jablonski, M, Starcukova, J, Lisboa, P, Arús, C and Julià-Sapé, M (2015) From raw data to data-analysis for magnetic resonance spectroscopy - the missing link: jMRUI2XML. BMC Bioinformatics. 16 (378). pp. 1-11. ISSN 1471-2105**

LJMU has developed **LJMU Research Online** for users to access the research output of the University more effectively. Copyright © and Moral Rights for the papers on this site are retained by the individual authors and/or other copyright owners. Users may download and/or print one copy of any article(s) in LJMU Research Online to facilitate their private study or for non-commercial research. You may not engage in further distribution of the material or use it for any profit-making activities or any commercial gain.

The version presented here may differ from the published version or from the version of the record. Please see the repository URL above for details on accessing the published version and note that access may require a subscription.

For more information please contact [researchonline@ljmu.ac.uk](mailto:researchonline@ljmu.ac.uk)

element **DATASET**

diagram	<pre> classDiagram     DATASET {         +CreatedBy : xs:string         +Date : xs:date         +Version : xs:string         sv:Preprocessing         sv:Voxel         sv:Grid     }     sv:Preprocessing {         +SetRefernce         +Apodization     }     sv:Voxel {         +Lorentzian     }   </pre>																								
namespace	<a href="http://gabrmn.uab.es/jmrui2xml_sv">http://gabrmn.uab.es/jmrui2xml_sv</a>																								
properties	content complex																								
children	<a href="#">sv:Preprocessing</a> <a href="#">sv:Voxel</a> <a href="#">sv:Grid</a>																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">CreatedBy</a></td> <td><b>xs:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">Date</a></td> <td><b>xs:date</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">Version</a></td> <td><b>xs:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<a href="#">CreatedBy</a>	<b>xs:string</b>	required				<a href="#">Date</a>	<b>xs:date</b>	required				<a href="#">Version</a>	<b>xs:string</b>	required			
Name	Type	Use	Default	Fixed	Annotation																				
<a href="#">CreatedBy</a>	<b>xs:string</b>	required																							
<a href="#">Date</a>	<b>xs:date</b>	required																							
<a href="#">Version</a>	<b>xs:string</b>	required																							
annotation	documentation Root element																								
source	<pre> &lt;xs:element name="DATASET"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;Root element&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element name="Preprocessing"&gt;         &lt;xs:complexType&gt;           &lt;xs:sequence&gt;             &lt;xs:element name="SetRefernce" type="xs:double" minOccurs="0"/&gt;             &lt;xs:element name="Apodization" minOccurs="0"&gt;               &lt;xs:complexType&gt;                 &lt;xs:choice&gt;                   &lt;xs:element name="Lorentzian"&gt;                     &lt;xs:complexType&gt;                       &lt;xs:sequence&gt;   </pre>																								

```

<xs:element name="Hz" type="xs:integer"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="Gaussian">
<xs:complexType>
<xs:sequence>
<xs:element name="Hz" type="xs:integer"/>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:choice>
</xs:complexType>
</xs:element>
<xs:element name="WaterFiltering" minOccurs="0">
<xs:complexType>
<xs:sequence>
<xs:element name="NumberOfLorentzians" type="xs:integer"/>
<xs:sequence maxOccurs="3">
<xs:element name="MinPPM" type="xs:double"/>
<xs:element name="MaxPPM" type="xs:double"/>
</xs:sequence>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="BaselineCorrection" minOccurs="0">
<xs:complexType>
<xs:sequence maxOccurs="3">
<xs:element name="MinPPM" type="xs:double"/>
<xs:element name="MaxPPM" type="xs:double"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="NumberOfPoints" minOccurs="0">
<xs:complexType>
<xs:sequence>
<xs:element name="NrPoints" type="xs:integer"/>
<xs:element name="MinPPM" type="xs:double"/>
<xs:element name="MaxPPM" type="xs:double"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="SetToUnitLength" type="xs:boolean" minOccurs="0"/>
<xs:element name="AlignmentCorrection" minOccurs="0">
<xs:complexType>
<xs:sequence>
<xs:element name="isBrainH" type="xs:boolean"/>
<xs:element name="minSNR" type="xs:double"/>
<xs:element name="minSTD" type="xs:double"/>
<xs:element name="maxSTD" type="xs:double"/>
<xs:element name="firstPeak" type="xs:double"/>
<xs:element name="secondPeak" type="xs:double" minOccurs="0"/>
<xs:element name="thirdPeak" type="xs:double" minOccurs="0"/>
</xs:sequence>

```

```

</xs:complexType>
</xs:element>
<xs:element name="AdditionalInformation">
<xs:complexType>
<xs:sequence>
<xs:element name="Name" type="xs:string"/>
<xs:element name="Place" type="xs:string"/>
<xs:element name="Keywords" type="xs:string" minOccurs="0"/>
<xs:element name="Observations" type="xs:string" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:choice>
<xs:element name="Voxel">
<xs:complexType>
<xs:sequence>
<xs:element name="Tissue">
<xs:complexType>
<xs:attribute name="Type" type="xs:string"/>
</xs:complexType>
</xs:element>
<xs:element name="Spectrum"/>
</xs:sequence>
<xs:attribute name="FirstPPM" type="xs:double" use="required"/>
<xs:attribute name="LastPPM" type="xs:double" use="required"/>
<xs:attribute name="NumberOfPoints" type="xs:integer" use="required"/>
<xs:attribute name="SNR" type="xs:double"/>
</xs:complexType>
</xs:element>
<xs:element name="Grid">
<xs:complexType>
<xs:sequence>
<xs:element name="Voxel" maxOccurs="unbounded">
<xs:complexType>
<xs:sequence>
<xs:element name="Tissue">
<xs:complexType>
<xs:attribute name="Type" type="xs:string"/>
</xs:complexType>
</xs:element>
<xs:element name="Spectrum"/>
</xs:sequence>
<xs:attribute name="FirstPPM" type="xs:double" use="required"/>
<xs:attribute name="LastPPM" type="xs:double" use="required"/>
<xs:attribute name="NumberOfPoints" type="xs:integer" use="required"/>
<xs:attribute name="Xaxis" type="xs:integer" use="required"/>
<xs:attribute name="Yaxis" type="xs:integer" use="required"/>
<xs:attribute name="Zaxis" type="xs:integer" use="required"/>
<xs:attribute name="SNR" type="xs:double"/>
</xs:complexType>
</xs:element>

```

	<pre> &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt; &lt;/xs:choice&gt; &lt;/xs:sequence&gt; &lt;xs:attribute name="CreatedBy" type="xs:string" use="required"/&gt; &lt;xs:attribute name="Date" type="xs:date" use="required"/&gt; &lt;xs:attribute name="Version" type="xs:string" use="required"/&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt;</pre>
--	--

#### attribute DATASET/@CreatedBy

type	<b>xs:string</b>
properties	use required
source	<xs:attribute name="CreatedBy" type="xs:string" use="required"/>

#### attribute DATASET/@Date

type	<b>xs:date</b>
properties	use required
source	<xs:attribute name="Date" type="xs:date" use="required"/>

#### attribute DATASET/@Version

type	<b>xs:string</b>
properties	use required
source	<xs:attribute name="Version" type="xs:string" use="required"/>

## element DATASET/Preprocessing


diagram	<pre> classDiagram     class sv_Preprocessing {         &lt;&lt;sv_SetRefernce type xs:double&gt;&gt;         &lt;&lt;sv_Apodization&gt;&gt;         &lt;&lt;sv_WaterFiltering&gt;&gt;         &lt;&lt;sv_BaselineCorrection&gt;&gt;         &lt;&lt;sv_NumberOfPoints&gt;&gt;         &lt;&lt;sv_SetToUnitLength type xs:boolean&gt;&gt;         &lt;&lt;sv_AlignmentCorrection&gt;&gt;         &lt;&lt;sv_AdditionalInformation&gt;&gt;     } </pre>
namespace	http://gabrmn.uab.es/jmrui2xml_sv
properties	content complex
children	<a href="#">sv_SetRefernce</a> <a href="#">sv_Apodization</a> <a href="#">sv_WaterFiltering</a> <a href="#">sv_BaselineCorrection</a> <a href="#">sv_NumberOfPoints</a> <a href="#">sv_SetToUnitLength</a> <a href="#">sv_AlignmentCorrection</a> <a href="#">sv_AdditionalInformation</a>
source	<pre> &lt;xs:element name="Preprocessing"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element name="SetRefernce" type="xs:double" minOccurs="0"/&gt;       &lt;xs:element name="Apodization" minOccurs="0"&gt;         &lt;xs:complexType&gt;           &lt;xs:choice&gt;             &lt;xs:element name="Lorentzian"&gt;               &lt;xs:complexType&gt;                 &lt;xs:sequence&gt;                   &lt;xs:element name="Hz" type="xs:integer"/&gt;                 &lt;/xs:sequence&gt;               &lt;/xs:complexType&gt;             &lt;/xs:element&gt;             &lt;xs:element name="Gaussian"&gt;               &lt;xs:complexType&gt;                 &lt;xs:sequence&gt;                   &lt;xs:element name="Hz" type="xs:integer"/&gt;                 &lt;/xs:sequence&gt;               &lt;/xs:complexType&gt;             &lt;/xs:element&gt;           &lt;/xs:choice&gt;         &lt;/xs:complexType&gt;       &lt;/xs:element&gt;       &lt;xs:element name="WaterFiltering" minOccurs="0"&gt;         &lt;xs:complexType&gt;           &lt;xs:sequence&gt;             &lt;xs:element name="NumberOfLorentzians" type="xs:integer"/&gt;           &lt;/xs:sequence&gt;         &lt;/xs:complexType&gt;       &lt;/xs:element&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

```


<xs:sequence maxOccurs="3">
  <xs:element name="MinPPM" type="xs:double"/>
  <xs:element name="MaxPPM" type="xs:double"/>
</xs:sequence>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="BaselineCorrection" minOccurs="0">
  <xs:complexType>
    <xs:sequence maxOccurs="3">
      <xs:element name="MinPPM" type="xs:double"/>
      <xs:element name="MaxPPM" type="xs:double"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="NumberOfPoints" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="NrPoints" type="xs:integer"/>
      <xs:element name="MinPPM" type="xs:double"/>
      <xs:element name="MaxPPM" type="xs:double"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="SetToUnitLength" type="xs:boolean" minOccurs="0"/>
<xs:element name="AlignmentCorrection" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="isBrainH" type="xs:boolean"/>
      <xs:element name="minSNR" type="xs:double"/>
      <xs:element name="minSTD" type="xs:double"/>
      <xs:element name="maxSTD" type="xs:double"/>
      <xs:element name="firstPeak" type="xs:double"/>
      <xs:element name="secondPeak" type="xs:double" minOccurs="0"/>
      <xs:element name="thirdPeak" type="xs:double" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="AdditionalInformation">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="Name" type="xs:string"/>
      <xs:element name="Place" type="xs:string"/>
      <xs:element name="Keywords" type="xs:string" minOccurs="0"/>
      <xs:element name="Observations" type="xs:string" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

```


### element DATASET/Preprocessing/SetRefernce

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:double</b>
properties	minOcc 0 maxOcc 1 content simple
source	<xs:element name="SetRefernce" type="xs:double" minOccurs="0"/>

### element DATASET/Preprocessing/Apodization


diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
properties	minOcc 0 maxOcc 1 content complex
children	<a href="#">sv:Lorentzian</a> <a href="#">sv:Gaussian</a>
source	<pre> &lt;xs:element name="Apodization" minOccurs="0"&gt;   &lt;xs:complexType&gt;     &lt;xs:choice&gt;       &lt;xs:element name="Lorentzian"&gt;         &lt;xs:complexType&gt;           &lt;xs:sequence&gt;             &lt;xs:element name="Hz" type="xs:integer"/&gt;           &lt;/xs:sequence&gt;         &lt;/xs:complexType&gt;       &lt;/xs:element&gt;       &lt;xs:element name="Gaussian"&gt;         &lt;xs:complexType&gt;           &lt;xs:sequence&gt;             &lt;xs:element name="Hz" type="xs:integer"/&gt;           &lt;/xs:sequence&gt;         &lt;/xs:complexType&gt;       &lt;/xs:element&gt;     &lt;/xs:choice&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

### element DATASET/Preprocessing/Apodization/Lorentzian


diagram	
---------	---

namespace	<a href="http://gabrmn.uab.es/jmrui2xml_sv">http://gabrmn.uab.es/jmrui2xml_sv</a>
properties	content complex
children	<a href="#"><u>sv:Hz</u></a>
source	<pre>&lt;xs:element name="Lorentzian"&gt; &lt;xs:complexType&gt; &lt;xs:sequence&gt; &lt;xs:element name="Hz" type="xs:integer"/&gt; &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt;</pre>


#### element DATASET/Preprocessing/Apodization/Lorentzian/Hz

diagram	
namespace	<a href="http://gabrmn.uab.es/jmrui2xml_sv">http://gabrmn.uab.es/jmrui2xml_sv</a>
type	<b>xs:integer</b>
properties	content simple
source	<pre>&lt;xs:element name="Hz" type="xs:integer"/&gt;</pre>

#### element DATASET/Preprocessing/Apodization/Gaussian

diagram	
namespace	<a href="http://gabrmn.uab.es/jmrui2xml_sv">http://gabrmn.uab.es/jmrui2xml_sv</a>
properties	content complex
children	<a href="#"><u>sv:Hz</u></a>
source	<pre>&lt;xs:element name="Gaussian"&gt; &lt;xs:complexType&gt; &lt;xs:sequence&gt; &lt;xs:element name="Hz" type="xs:integer"/&gt; &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt;</pre>

#### element DATASET/Preprocessing/Apodization/Gaussian/Hz

diagram	
namespace	<a href="http://gabrmn.uab.es/jmrui2xml_sv">http://gabrmn.uab.es/jmrui2xml_sv</a>

type	<b>xs:integer</b>
properties	content simple
source	<xs:element name="Hz" type="xs:integer"/>

#### element DATASET/Preprocessing/WaterFiltering

diagram	<pre> classDiagram     class sv::WaterFiltering {         &lt;&lt;sv::WaterFiltering&gt;&gt;         &lt;&lt;sv::NumberofLorentzians&gt;&gt;         &lt;&lt;sv::MinPPM&gt;&gt;         &lt;&lt;sv::MaxPPM&gt;&gt;     }     sv::WaterFiltering &lt; -- sv::NumberofLorentzians     sv::WaterFiltering &lt; -- sv::MinPPM     sv::WaterFiltering &lt; -- sv::MaxPPM     sv::NumberofLorentzians *-- "1..3" sv::WaterFiltering   </pre>
namespace	http://gabrmn.uab.es/jmrui2xml_sv
properties	minOcc 0 maxOcc 1 content complex
children	<a href="#">sv:NumberOfLorentzians</a> <a href="#">sv:MinPPM</a> <a href="#">sv:MaxPPM</a>
source	<xs:element name="WaterFiltering" minOccurs="0"> <xs:complexType> <xs:sequence> <xs:element name="NumberOfLorentzians" type="xs:integer"/> <xs:sequence maxOccurs="3"> <xs:element name="MinPPM" type="xs:double"/> <xs:element name="MaxPPM" type="xs:double"/> </xs:sequence> </xs:sequence> </xs:complexType> </xs:element>

#### element DATASET/Preprocessing/WaterFiltering/NumberOfLorentzians

diagram	<pre> classDiagram     class sv::NumberOfLorentzians {         &lt;&lt;sv::NumberOfLorentzians&gt;&gt;         type xs:integer     }   </pre>
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:integer</b>
properties	content simple
source	<xs:element name="NumberOfLorentzians" type="xs:integer"/>


### element DATASET/Preprocessing/WaterFiltering/MinPPM

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:double</b>
properties	content simple
source	<xs:element name="MinPPM" type="xs:double"/>

### element DATASET/Preprocessing/WaterFiltering/MaxPPM

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:double</b>
properties	content simple
source	<xs:element name="MaxPPM" type="xs:double"/>

### element DATASET/Preprocessing/BaselineCorrection

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
properties	minOcc 0 maxOcc 1 content complex
children	<a href="#">sv:MinPPM</a> <a href="#">sv:MaxPPM</a>
source	<pre> &lt;xs:element name="BaselineCorrection" minOccurs="0"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence maxOccurs="3"&gt;       &lt;xs:element name="MinPPM" type="xs:double"/&gt;       &lt;xs:element name="MaxPPM" type="xs:double"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

### element DATASET/Preprocessing/BaselineCorrection/MinPPM

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:double</b>
properties	content simple
source	<xs:element name="MinPPM" type="xs:double"/>

### element DATASET/Preprocessing/BaselineCorrection/MaxPPM

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:double</b>
properties	content simple
source	<xs:element name="MaxPPM" type="xs:double"/>

### element DATASET/Preprocessing/NumberOfPoints

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
properties	minOcc 0 maxOcc 1 content complex
children	<a href="#">sv:NrPoints</a> <a href="#">sv:MinPPM</a> <a href="#">sv:MaxPPM</a>
source	<pre> &lt;xs:element name="NumberOfPoints" minOccurs="0"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element name="NrPoints" type="xs:integer"/&gt;       &lt;xs:element name="MinPPM" type="xs:double"/&gt;       &lt;xs:element name="MaxPPM" type="xs:double"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

#### element DATASET/Preprocessing/NumberOfPoints/NrPoints

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:integer</b>
properties	content simple
source	<xs:element name="NrPoints" type="xs:integer"/>


#### element DATASET/Preprocessing/NumberOfPoints/MinPPM

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:double</b>
properties	content simple
source	<xs:element name="MinPPM" type="xs:double"/>

#### element DATASET/Preprocessing/NumberOfPoints/MaxPPM

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:double</b>
properties	content simple
source	<xs:element name="MaxPPM" type="xs:double"/>

#### element DATASET/Preprocessing/SetToUnitLength

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:boolean</b>
properties	minOcc 0 maxOcc 1 content simple
source	<xs:element name="SetToUnitLength" type="xs:boolean" minOccurs="0"/>

element DATASET/Preprocessing/AlignmentCorrection

diagram	<pre> classDiagram     class sv::AlignmentCorrection {         sv::isBrainH         sv::minSNR         sv::minSTD         sv::maxSTD         sv::firstPeak         sv::secondPeak         sv::thirdPeak     }     sv::AlignmentCorrection &lt; -- sv::isBrainH     sv::AlignmentCorrection &lt; -- sv::minSNR     sv::AlignmentCorrection &lt; -- sv::minSTD     sv::AlignmentCorrection &lt; -- sv::maxSTD     sv::AlignmentCorrection &lt; -- sv::firstPeak     sv::AlignmentCorrection &lt; -- sv::secondPeak     sv::AlignmentCorrection &lt; -- sv::thirdPeak   </pre>						
namespace	<a href="http://gabrmn.uab.es/jmrui2xml_sv">http://gabrmn.uab.es/jmrui2xml_sv</a>						
properties	<table> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>1</td></tr> <tr> <td>content</td><td>complex</td></tr> </table>	minOcc	0	maxOcc	1	content	complex
minOcc	0						
maxOcc	1						
content	complex						
children	<a href="#">sv::isBrainH</a> <a href="#">sv::minSNR</a> <a href="#">sv::minSTD</a> <a href="#">sv::maxSTD</a> <a href="#">sv::firstPeak</a> <a href="#">sv::secondPeak</a> <a href="#">sv::thirdPeak</a>						
source	<pre> &lt;xsd:element name="AlignmentCorrection" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="isBrainH" type="xsd:boolean"/&gt;       &lt;xsd:element name="minSNR" type="xsd:double"/&gt;       &lt;xsd:element name="minSTD" type="xsd:double"/&gt;       &lt;xsd:element name="maxSTD" type="xsd:double"/&gt;       &lt;xsd:element name="firstPeak" type="xsd:double"/&gt;       &lt;xsd:element name="secondPeak" type="xsd:double" minOccurs="0"/&gt;       &lt;xsd:element name="thirdPeak" type="xsd:double" minOccurs="0"/&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;   </pre>						

element DATASET/Preprocessing/AlignmentCorrection/isBrainH


diagram	<pre> classDiagram     class sv::isBrainH {         type xs:boolean     }   </pre>
namespace	<a href="http://gabrmn.uab.es/jmrui2xml_sv">http://gabrmn.uab.es/jmrui2xml_sv</a>

type	<b>xs:boolean</b>
properties	content simple
source	<xs:element name="isBrainH" type="xs:boolean"/>


#### element DATASET/Preprocessing/AlignmentCorrection/minSNR

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:double</b>
properties	content simple
source	<xs:element name="minSNR" type="xs:double"/>


#### element DATASET/Preprocessing/AlignmentCorrection/minSTD

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:double</b>
properties	content simple
source	<xs:element name="minSTD" type="xs:double"/>

#### element DATASET/Preprocessing/AlignmentCorrection/maxSTD


diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:double</b>
properties	content simple
source	<xs:element name="maxSTD" type="xs:double"/>

#### element DATASET/Preprocessing/AlignmentCorrection/firstPeak

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv

type	<b>xs:double</b>
properties	content simple
source	<xs:element name="firstPeak" type="xs:double"/>


#### element DATASET/Preprocessing/AlignmentCorrection/secondPeak

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:double</b>
properties	minOcc 0 maxOcc 1 content simple
source	<xs:element name="secondPeak" type="xs:double" minOccurs="0"/>

#### element DATASET/Preprocessing/AlignmentCorrection/thirdPeak

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:double</b>
properties	minOcc 0 maxOcc 1 content simple
source	<xs:element name="thirdPeak" type="xs:double" minOccurs="0"/>

#### element DATASET/Preprocessing/AdditionalInformation

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
properties	content complex

children	<b><a href="#">sv:Name</a></b> <b><a href="#">sv:Place</a></b> <b><a href="#">sv:Keywords</a></b> <b><a href="#">sv:Observations</a></b>
source	<pre>&lt;xs:element name="AdditionalInformation"&gt; &lt;xs:complexType&gt; &lt;xs:sequence&gt; &lt;xs:element name="Name" type="xs:string"/&gt; &lt;xs:element name="Place" type="xs:string"/&gt; &lt;xs:element name="Keywords" type="xs:string" minOccurs="0"/&gt; &lt;xs:element name="Observations" type="xs:string" minOccurs="0"/&gt; &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt;</pre>


#### element DATASET/Preprocessing/AdditionalInformation/Name

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:string</b>
properties	content simple
source	<xs:element name="Name" type="xs:string"/>


#### element DATASET/Preprocessing/AdditionalInformation/Place

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:string</b>
properties	content simple
source	<xs:element name="Place" type="xs:string"/>


#### element DATASET/Preprocessing/AdditionalInformation/Keywords

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:string</b>
properties	minOcc 0 maxOcc 1 content simple
source	<xs:element name="Keywords" type="xs:string" minOccurs="0"/>

### element DATASET/Preprocessing/AdditionalInformation/Observations

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
type	<b>xs:string</b>
properties	minOcc 0 maxOcc 1 content simple
source	<xs:element name="Observations" type="xs:string" minOccurs="0"/>

### element DATASET/Voxel

diagram																															
namespace	http://gabrmn.uab.es/jmrui2xml_sv																														
properties	content complex																														
children	<a href="#">sv:Tissue</a> <a href="#">sv:Spectrum</a>																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">FirstPPM</a></td> <td><b>xs:double</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">LastPPM</a></td> <td><b>xs:double</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">NumberOfPoints</a></td> <td><b>xs:integer</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">SNR</a></td> <td><b>xs:double</b></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<a href="#">FirstPPM</a>	<b>xs:double</b>	required				<a href="#">LastPPM</a>	<b>xs:double</b>	required				<a href="#">NumberOfPoints</a>	<b>xs:integer</b>	required				<a href="#">SNR</a>	<b>xs:double</b>				
Name	Type	Use	Default	Fixed	Annotation																										
<a href="#">FirstPPM</a>	<b>xs:double</b>	required																													
<a href="#">LastPPM</a>	<b>xs:double</b>	required																													
<a href="#">NumberOfPoints</a>	<b>xs:integer</b>	required																													
<a href="#">SNR</a>	<b>xs:double</b>																														
source	<xs:element name="Voxel"> <xs:complexType> <xs:sequence> <xs:element name="Tissue">																														

	<pre> &lt;xs:complexType&gt;   &lt;xs:attribute name="Type" type="xs:string"/&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt; &lt;xs:element name="Spectrum"&gt; &lt;/xs:sequence&gt; &lt;xs:attribute name="FirstPPM" type="xs:double" use="required"/&gt; &lt;xs:attribute name="LastPPM" type="xs:double" use="required"/&gt; &lt;xs:attribute name="NumberOfPoints" type="xs:integer" use="required"/&gt; &lt;xs:attribute name="SNR" type="xs:double"/&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>
--	--

#### attribute DATASET/Voxel/@FirstPPM

type	<b>xs:double</b>
properties	use required
source	<xs:attribute name="FirstPPM" type="xs:double" use="required"/>

#### attribute DATASET/Voxel/@LastPPM

type	<b>xs:double</b>
properties	use required
source	<xs:attribute name="LastPPM" type="xs:double" use="required"/>

#### attribute DATASET/Voxel/@NumberOfPoints

type	<b>xs:integer</b>
properties	use required
source	<xs:attribute name="NumberOfPoints" type="xs:integer" use="required"/>

#### attribute DATASET/Voxel/@SNR

type	<b>xs:double</b>
source	<xs:attribute name="SNR" type="xs:double"/>

#### element DATASET/Voxel/Tissue

diagram	<pre> classDiagram     class sv{Tissue}     class attributes {         &lt;&lt;attributes&gt;&gt;         class Type {             &lt;&lt;Type&gt;&gt;             type xs:string         }     }     sv --&gt; attributes     attributes --&gt; Type   </pre>
namespace	http://gabrmn.uab.es/jmrui2xml_sv

properties	content complex
attributes	Name <u>Type</u> Type <b>xs:string</b> Use Default Fixed Annotation
source	<pre>&lt;xs:element name="Tissue"&gt; &lt;xs:complexType&gt;   &lt;xs:attribute name="Type" type="xs:string"/&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt;</pre>

#### attribute DATASET/Voxel/Tissue/@Type

type	<b>xs:string</b>
source	<pre>&lt;xs:attribute name="Type" type="xs:string"/&gt;</pre>

#### element DATASET/Voxel/Spectrum

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
source	<pre>&lt;xs:element name="Spectrum"&gt;</pre>

#### element DATASET/Grid

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
properties	content complex
children	<u>sv:Voxel</u>
source	<pre>&lt;xs:element name="Grid"&gt; &lt;xs:complexType&gt; &lt;xs:sequence&gt; &lt;xs:element name="Voxel" maxOccurs="unbounded"&gt; &lt;xs:complexType&gt; &lt;xs:sequence&gt; &lt;xs:element name="Tissue"&gt; &lt;xs:complexType&gt; &lt;xs:attribute name="Type" type="xs:string"/&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt; &lt;xs:element name="Spectrum"/&gt; &lt;/xs:sequence&gt; &lt;xs:attribute name="FirstPPM" type="xs:double" use="required"/&gt; &lt;xs:attribute name="LastPPM" type="xs:double" use="required"/&gt; &lt;xs:attribute name="NumberOfPoints" type="xs:integer" use="required"/&gt; &lt;xs:attribute name="Xaxis" type="xs:integer" use="required"/&gt;</pre>

```

<xs:attribute name="Yaxis" type="xs:integer" use="required"/>
<xs:attribute name="Zaxis" type="xs:integer" use="required"/>
<xs:attribute name="SNR" type="xs:double"/>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

```

element DATASET/Grid/Voxel

diagram	<pre> classDiagram     class sv::Voxel {         attribute FirstPPM : xs:double         attribute LastPPM : xs:double         attribute NumberOfPoints : xs:integer         attribute Xaxis : xs:integer         attribute Yaxis : xs:integer         attribute Zaxis : xs:integer         attribute SNR : xs:double?         association sv::Tissue         association sv::Spectrum     } </pre>																		
namespace	http://gabrmn.uab.es/jmrui2xml_sv																		
properties	<table> <tr> <td>minOcc</td><td>1</td></tr> <tr> <td>maxOcc</td><td>unbounded</td></tr> <tr> <td>content</td><td>complex</td></tr> </table>	minOcc	1	maxOcc	unbounded	content	complex												
minOcc	1																		
maxOcc	unbounded																		
content	complex																		
children	<a href="#">sv:Tissue</a> <a href="#">sv:Spectrum</a>																		
attributes	<table> <thead> <tr> <th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr> </thead> <tbody> <tr> <td><a href="#">FirstPPM</a></td><td><a href="#">xs:double</a></td><td>required</td><td></td><td></td><td></td></tr> <tr> <td><a href="#">LastPPM</a></td><td><a href="#">xs:double</a></td><td>required</td><td></td><td></td><td></td></tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<a href="#">FirstPPM</a>	<a href="#">xs:double</a>	required				<a href="#">LastPPM</a>	<a href="#">xs:double</a>	required			
Name	Type	Use	Default	Fixed	Annotation														
<a href="#">FirstPPM</a>	<a href="#">xs:double</a>	required																	
<a href="#">LastPPM</a>	<a href="#">xs:double</a>	required																	

	<u>NumberOfPoints</u> xs:integer    required <u>Xaxis</u> xs:integer    required <u>Yaxis</u> xs:integer    required <u>Zaxis</u> xs:integer    required <u>SNR</u> xs:double
source	<pre> &lt;xs:element name="Voxel" maxOccurs="unbounded"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element name="Tissue"&gt;         &lt;xs:complexType&gt;           &lt;xs:attribute name="Type" type="xs:string"/&gt;         &lt;/xs:complexType&gt;       &lt;/xs:element&gt;       &lt;xs:element name="Spectrum"/&gt;     &lt;/xs:sequence&gt;     &lt;xs:attribute name="FirstPPM" type="xs:double" use="required"/&gt;     &lt;xs:attribute name="LastPPM" type="xs:double" use="required"/&gt;     &lt;xs:attribute name="NumberOfPoints" type="xs:integer" use="required"/&gt;     &lt;xs:attribute name="Xaxis" type="xs:integer" use="required"/&gt;     &lt;xs:attribute name="Yaxis" type="xs:integer" use="required"/&gt;     &lt;xs:attribute name="Zaxis" type="xs:integer" use="required"/&gt;     &lt;xs:attribute name="SNR" type="xs:double"/&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

#### attribute DATASET/Grid/Voxel/@FirstPPM

type	xs:double
properties	use required
source	<xs:attribute name="FirstPPM" type="xs:double" use="required"/>

#### attribute DATASET/Grid/Voxel/@LastPPM

type	xs:double
properties	use required
source	<xs:attribute name="LastPPM" type="xs:double" use="required"/>

#### attribute DATASET/Grid/Voxel/@NumberOfPoints

type	xs:integer
properties	use required
source	<xs:attribute name="NumberOfPoints" type="xs:integer" use="required"/>

attribute **DATASET/Grid/Voxel/@Xaxis**

type	<b>xs:integer</b>
properties	use required
source	<xs:attribute name="Xaxis" type="xs:integer" use="required"/>

attribute **DATASET/Grid/Voxel/@Yaxis**

type	<b>xs:integer</b>
properties	use required
source	<xs:attribute name="Yaxis" type="xs:integer" use="required"/>

attribute **DATASET/Grid/Voxel/@Zaxis**

type	<b>xs:integer</b>
properties	use required
source	<xs:attribute name="Zaxis" type="xs:integer" use="required"/>

attribute **DATASET/Grid/Voxel/@SNR**

type	<b>xs:double</b>
source	<xs:attribute name="SNR" type="xs:double"/>

element **DATASET/Grid/Voxel/Tissue**

diagram	<pre> classDiagram     class sv{Tissue} {         attribute Type         type xs:string     }     Type &lt; -- xs:string   </pre>												
namespace	<a href="http://gabrmn.uab.es/jmrui2xml_sv">http://gabrmn.uab.es/jmrui2xml_sv</a>												
properties	content complex												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">Type</a></td> <td><a href="#">xs:string</a></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<a href="#">Type</a>	<a href="#">xs:string</a>				
Name	Type	Use	Default	Fixed	Annotation								
<a href="#">Type</a>	<a href="#">xs:string</a>												
source	<pre> &lt;xs:element name="Tissue"&gt;   &lt;xs:complexType&gt;     &lt;xs:attribute name="Type" type="xs:string"/&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt;   </pre>												

attribute **DATASET/Grid/Voxel/Tissue/@Type**

type	<b>xs:string</b>
------	------------------

source	<xs:attribute name="Type" type="xs:string"/>
--------	--

element **DATASET/Grid/Voxel/Spectrum**

diagram	
namespace	http://gabrmn.uab.es/jmrui2xml_sv
source	<xs:element name="Spectrum"/>